

Message

From: Rao, Kate [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=2BA7867156604CCF99AD869E8F00C059-KRAO]
Sent: 1/29/2018 7:22:23 PM
To: Ex. 6 Personal Privacy (PP)
Subject: RE: RE: Kozuma residence

Hi Mr. Kozuma –

Thanks for the call today. Please contact Mark Tomomitsu (see below for his contact information) about DOH's septic system permitting process and the tax credit program.

Mark Tomomitsu
Environmental Engineer
Planning & Design Section
Wastewater Branch
State of Hawaii Department of Health
Telephone (808) 586-4294
Fax (808) 586-4300

As we discussed, you are working to replace the cesspool serving both the main home and ohana with a DOH approved septic system (also referred to as an individual wastewater system (IWS)). You will contact me by the end of February 2018 to update me on your progress.

Please don't hesitate to contact me with any questions you may have.

Thank you.

Kate

Kate Rao
Drinking Water Protection Section (WTR 3-2)
USEPA Region 9
75 Hawthorne St., San Francisco, CA 94105
tel: (415) 972-3533 / fax: (415) 947-3549

From: Ex. 6 Personal Privacy (PP)
Sent: Monday, January 29, 2018 10:34 AM
To: Rao, Kate <Rao.kate@epa.gov>
Subject: Re: RE: Kozuma residence

Ms. Rao,

The sketches sent to you by Ms. Pate were done by me. I didn't, and still don't, know how to send that kind of material to anyone via email. Ms. Pate is a friend who works with a law firm. I do work with the firm on matters with which I am familiar.

Please call me when you can. I would like to talk to you for no more than five minutes about matters related to my cesspool issue.

Thank you.

Richard Kozuma

In a message dated 1/29/2018 8:00:27 AM Hawaiian Standard Time, Rao.kate@epa.gov writes:

Ms. Pate –

Thanks for the drawing. I will review it and let you know if I have any questions.

Regards - Kate

Kate Rao
Drinking Water Protection Section (WTR 3-2)
USEPA Region 9
75 Hawthorne St., San Francisco, CA 94105
tel: (415) 972-3533 / fax: (415) 947-3549

From: Lynda Pate [<mailto:lpate@lbchlaw.com>]

Sent: Friday, January 26, 2018 3:06 PM

To: Rao, Kate <Rao.kate@epa.gov>

Cc: Ex. 6 Personal Privacy (PP)

Subject: Kozuma residence

Good afternoon Ms. Rao,

At Mr. Kozuma's request I am forwarding the attached document which consists of two drawings of his dwelling. Please let us know if you have difficulty opening the attachment.

Lynda Pate
Lyons, Brandt, Cook & Hiramatsu
1800 Davies Pacific Center
841 Bishop Street
Honolulu, Hawaii 96813
Telephone: (808)524-7030
Facsimile: (808)533-3011